

## C.R. KURKJIAN - Publication List

1. "Base Exchange Capacity of Talc," W. D. Kingery, F. A. Halden, and C. R. Kurkjian, *J. Phys.Chem.* **59**,378 (1955).
2. "Surface Tension at Elevated Temperatures, III: Effect of Cr, In, Sn and Ti on Liquid Nickel Surface Tension and Interfacial Energy with Al<sub>2</sub>O<sub>3</sub> C. R. Kurkjian and W. D. Kingery, *J. Phys. Chem.*, **60**, 961 (1956).
3. "The Viscosity and Viscoelasticity of Glasses," C. R. Kurkjian and R. W. Douglas, *C. R. XXXI Congres International de Chimie Industrielle, Liege*, (1958).
4. "Solubility of Water in Molten Alkali Silicates," C. R. Kurkjian and L. E. Russell, *Trans. Soc. Glass Tech.* **42**, 130 (1958).
5. "The Viscosity of Glasses in the System Na<sub>2</sub>O-GeO<sub>2</sub>", C.R. Kurkjian and R. W. Douglas, *Phys.Chem Glasses* **1**, 19 (1960).
6. "Relaxation of Torsional Stress in the Transformation Range,," C. R. Kurkjian, in **Advances in Glass Technology**, Plenum Press, (1962).
7. "Relaxation of Torsional Stress in the Transformation Range of a Soda-Lime-Silica Glass," C. R. Kurkjian, *Phys.Chem. Glasses* **4**, 128 (1963).
9. "Faraday Rotation of Rare-Earth in Phosphate Glasses," S. B. Berger, C. B. Rubenstein, C. R. Kurkjian, and A. W. Treptow, *Phys.Rev.* **133**, A723 (1964).
10. "Mossbauer Effect In Inorganic Glass," C. R. Kurkjian and D. N. E. Buchanan, *Reviews Modern Physics*, **36**, 397 (1964).
11. "Mossbauer Absorption of Fe in Inorganic Glasses," C. R. Kurkjian and D. N.E.Buchanan, *Phys Chem. Glasses*, **5**, 63 (1964).
12. "Mossbauer Studies in Inorganic Glasses," C. R. Kurkjian and E. A. Sigety, VII *Intl. Congress on Glass, Brussels* (1965).
13. "Absorption and Fluorescence of Trivalent Europium in Borate Glasses," P.K.Gallagher, C. R. Kurkjian and P. M. Bridenbaugh, *Phys Chem. Glasses*, **6**, 95 (1965).
14. "Relaxation Spectra and Relaxation Processes in Solid Polymers and Glasses," I.L. Hopkins and C. R. Kurkjian, in *Physical Acoustics*, Vol **2B**, Chapter **8**, ed. W. P. Mason, Academic Press Inc., N. Y. (1965).
15. "Acoustic Spectra of Na<sub>2</sub>O – GeO<sub>2</sub> Glasses, " C. R. Kurkjian and J. T. Krause, *J Am. Ceram. Soc.* **49**,134 (1966).

16. "Effect of OH Content on the Acoustic Spectra of B<sub>2</sub>O<sub>3</sub> Glass," C. R. Kurkjian and J. T. Krause, *J. Am. Ceram. Soc.* **49**,171 (1966).
17. "A Study of the Thermal Decomposition of Some Complex Oxalates of Iron (III) Using the Mossbauer Effect", P. K. Gallagher and C. R. Kurkjian, *Inorganic Chem.*, **5**, 214 (1966).
18. "Coordination of Fe<sup>3+</sup> in Glass," C. R. Kurkjian and E. A. Sigety, *Phys Chem. Glasses*, **9**, 73 (1968).
19. "The Structure of an Iron Core Analogue of Ferritin," G. W. Brady, C. R. Kurkjian, E. F. X. Lyden, M. B. Robin, P. Saltman, T. Spiro, and A. Terzis, *Biochemistry*, **7**, 2185 (1968).
20. "Vibrational Anomalies in Inorganic Glass Formers," J. T. Krause and C. R. Kurkjian, *J. Am. Ceram. Soc.* **51**, 226 (1968).
21. "Ceramics and Glass," C. R. Kurkjian and J. C. Williams, **Physical Design of Electronic Systems, Vol. 1, Pt. 2, Chapter 6**, Prentice-Hall (1969).
22. "Mossbauer Spectroscopy in Inorganic Glasses," C. R. Kurkjian, *J. Non-Cryst. Solids*, **3**, 157 (1970).
23. "Low Acoustic Loss Chalcogenide Glasses - A New Category of Materials for Acoustic and Acousto-Optic Applications," J. T. Krause, C. R. Kurkjian, D. A. Pinnow, and E. A. Sigety, *Appl. Phys. Letts*, **17**, 367 (1970).
24. "Raman Scattering and Far Infra-Red Absorption in Neutron Irradiated Silica," R. H. Stolen, J. T. Krause, and C. R. Kurkjian, *Disc. Faraday Soc.* **50**, 103 (1970).
25. "Mechanical Properties and Structure of Some Ge-As-S Glasses," C. R. Kurkjian, J.T. Krause, and E. A. Sigety, *9<sup>th</sup> Intl. Congress on Glass, Versailles*, 503 (1971).
26. "Pressure Dependence of Elastic Constants and Gruneisen Parameters in Fused SiO<sub>2</sub>, GeO<sub>2</sub>, BeF<sub>2</sub> and B<sub>2</sub>O<sub>3</sub>", C. R. Kurkjian, J. T. Krause, H. J. McSkimmin, P. Andreatch and T. B. Bateman, in **Amorphous Materials**, 463 , ed. R. W. Douglas and B. Ellis, Wiley (1972).
27. "Low Acoustic Loss Chalcogenide Glasses - A New Category of Materials for Acoustic and Acousto-Optic Applications," J. T. Krause, C. R. Kurkjian, D. A. Pinnow, and E. A. Sigety, *Appl. Phys. Letts*, **17**, 367 (1970).
29. "Some Materials Problems in the Design of Glass Fiber Optical Waveguides," C. R. Kurkjian and G. E. Peterson, in **2nd Cairo Solid State Conference**, Plenum Press (1974).

30. "Random Structure Models and Spin Resonance in Glass," G. E. Peterson, C. R. Kurkjian and A. Carnevale, *Phys. Chem. Glasses*, **15**, 52 (1974).
31. "The Calculation of NMR Lineshapes in Glass, I.," G. E. Peterson, C. R. Kurkjian and A. Carnevale, *Phys. Chem. Glasses*, **15**, 59 (1974).
32. "Statistical Technique for the Synthesis of NMR Lineshapes in Glasses," G. E. Peterson and C. R. Kurkjian, Proc. 18th Ampere Congress, 475, Nottingham (1974).
33. "Calculation of Cooling Rate and Induced Stresses in Drawing Optical Fiber," U. C. Paek and C. R. Kurkjian, *J. Am. Ceram Soc.* **58**, 330 (1975).
34. "Calculation of NMR Lineshapes in Glass, II. Nonzero Asymmetry Parameter," G. E. Peterson, C. R. Kurkjian, and A. Carnevale, *Phys Chem. Glasses*, **16**, 63 (1975).
35. "Molecular Orbital Calculations of Quadrupolar Coupling of  $^{11}\text{B}$  in Molecular Models of Glasses," L. C. Snyder, G. E. Peterson and C. R. Kurkjian, *J. Chem. Phys.*, **64**, 1569 (1976).
36. "Strength of 0.04-50-m Lengths of Coated Fused Silica Fibers," C. R. Kurkjian, R. V. Albarino, J. T. Krause, H. N. Vazirani, F. V. DiMarcello, S. Torza, and H. Schonhorn, *Appl. Phys. Letts*, **28**, 588 (1976).
37. " $^{11}\text{B}$  NMR and Glass Structure Determination," G. E. Peterson, A. Carnevale, and C. R. Kurkjian, Proc. of the Symposium on the Structure of Noncrystalline Materials, 125, Cambridge (1976).
38. "Random Structure Models and Spin Resonance in Glass, Part II," G. E. Peterson, C. R. Kurkjian, and A. Carnevale, *Phys. Chem. Glasses*, **17**, 88 (1976).
39. "Epoxy-Acrylate-Coated Fused Silica Fibers with Tensile Strengths  $>500$  ksi (3.5 GPa) in 1-km Gauge Lengths," H. Schonhorn, C. R. Kurkjian, R. E. Jaeger, H. N. Vazirani, R. V. Albarino, and F. V. DiMarcello, *Appl. Phys. Letts.*, **29**, 712 (1976).
40. "Informational Content of Boron NMR in Amorphous Materials," G. E. Peterson, C.R. Kurkjian, and A. Carnevale, *J. Non-Crystalline Solids* **21**, 283 (1975).
41. "Comments on the Paper on the Nature of Unique Boron Sites in Borate Glasses," G.E. Peterson, C. R. Kurkjian, and L. C. Snyder, *J. Non-Cryst. Solids* **21**, 301 (1975).
42. "Some Examples of H to G Transformations as Applied to  $\text{Fe}^{3+}$  EPR in Glass," G. E. Peterson, C.R. Kurkjian, and A. Carnevale, *J. Non-Cryst. Solids*, **22**, 269 (1976).
43. "Dynamic and Static Fatigue of High Strength Epoxy-Acrylate Coated Fused Silica Fibers," J. T. Krause and C. R. Kurkjian, *Proc. Optical Fiber Transmission, II*, Optical Society of America (1977).

44. "Tensile Strengths of Long Lengths of Coated Silica Fibers," C. R. Kurkjian, R. V. Albarino, R. E. Jaeger, J. T. Krause, S. Torza, H. N. Vazirani, and H. Schonhorn, *Conf on Opt. Comm., Williamsburg II* (1977).
45. "Singular-Value Decomposition and Boron NMR Spectra in Glass," G. E. Peterson, A. Carnevale, and C. R. Kurkjian, *J. Non-Cryst. Solids* **23**, 243 (1977).
46. "A Fast and Stable Technique for the Analysis of B NMR Spectra in Glass," G. E. Peterson, A. Carnevale and C. R. Kurkjian, *Phys. Chem. Glasses*, **18**, 41 (1977).
47. "Biased Spectral Decomposition in Glass," G. E. Peterson, A. Carnevale, and C. R. Kurkjian, *Phys. Chem Glasses*, **19**, 19 (1978).
48. "Tensile Strength of Polymer-Coated Fibers For Use In Optical Communications," C. R. Kurkjian, *Proc. XI Intl. Glass Congress, Prague*, 469 (1977).
49. "Pulsed EPR Studies of Copper in Some Binary Oxide Glasses," W. B. Mims, G. E. Peterson, and C. R. Kurkjian, *Phys. Chem. Glasses*, **19**, 14 (1978).
50. "Effect of Drawing Tension on Residual Stresses in Clad Glass Fibers," C. R. Kurkjian and U. C. Paek, *J. Am. Ceram Soc.*, **61** 330-335 (1978).
51. "Statistics of the Tensile Strength of Glass Fibers for Optical Communications," C. R. Kurkjian, *Proc. 1st Intl. Otto Schott Coll. Jena, DDR*, 379 (1978).
52. "Random Vector Statistical Studies of Amorphous Materials," C. R. Kurkjian, G. E. Peterson, and A. Carnevale, in **Borate Glasses; Structure Properties and Uses**, ed. L. D. Pye, V. D. Frechette and N. J. Kreidl, Plenum Pub., 369 (1978).
53. "Acoustic Spectra of Glasses in the System  $\text{Na}_2\text{O} - \text{B}_2\text{O}_3$ " J. T. Krause and C. R. Kurkjian, in **Borate Glasses, Structure, Properties and Uses**, ed. L. D. Pye, V. D. Frechette and N. J. Kreidl, Plenum Pub. 577 (1978).
54. "High Strength Furnace-Drawn Optical Fibers," F. V. DiMarcello, A. R. Hart, J. C. Williams, and C. R. Kurkjian, in **Proc. Conf. Phys. Fiber Optics**, Rhode Island, eds. Mitra and Bendow, 125, Plenum Press (1979).
55. "Fiber Strength," C. R. Kurkjian, Topical Meeting on Optical Fiber Comm., March 1979, Wash. D.C., paper TuC1-pg 10 (1979).
56. "Materials, Properties and Choices," B. G. Bagley, C. R. Kurkjian, J. W. Mitchell, G. E. Peterson, and A. R. Tynes, in **Optical Fiber Telecommunications**, ed. Miller and Chynoweth, pg. 67, Academic Press (1979).

57. "Fiber Characterization: Mechanical," D. Kalish, P. L. Key, C. R. Kurkjian, B. K. Tariyal, and T. T. Wang - in **Optical Fiber Telecommunications**, ed. Miller and Chynoweth, pg. 67, Academic Press (1979).
58. "Mechanical Tempering of Optical Fibers," L. Rongved, C. R. Kurkjian, and F. T. Geyling, *J. Non-Cryst. Solids*, **42**, 579 (1980).
59. "Tensile Strength of 50m-Long Silica Fibers - Drawn with a Laser-Galvanometer Scanning System," U. C. Paek, C. D. Spainhour, C. M. Schroeder, C. R. Kurkjian, *Bull. Am Ceram Soc.* **59**, 630 (1980).
60. "Glass Plants and Research in China," C. R. Kurkjian, J. L. Pentecost, W. R. Prindle, E. A. Thomas, *Bull. Am Ceram Soc.* **59**, 912, 1980.
61. "Structure and Phonon Spectra Of SiO<sub>2</sub>, B<sub>2</sub>O<sub>3</sub> and mixed SiO<sub>2</sub>-B<sub>2</sub>O<sub>3</sub> Glasses," R. J. Bell, A. Carnevale, C. R. Kurkjian and G. E. Peterson, *J. Non-Cryst. Solids*, **35**, **36**, 1185, (1980).
62. "Strength of Fusion Splices for Fibre Lightguides," J. T. Krause, C. R. Kurkjian, and U. C. Paek, *El. Letts.*, **17**, 232 (1981).
63. "Tensile Strength >4 GPa for Lightguide Fusion Splices," J. T. Krause, C. R. Kurkjian, and U. C. Paek, *El. Letts.*, **17**, 812 (1981).
64. "Recent Progress in Strength of Fibers," C. R. Kurkjian and H. E. Rast, *Proc. 3rd IOOC-San Francisco*, CA (1981).
65. "Fatigue of Fusion Splices," J. T. Krause, C. R. Kurkjian, and U. C. Paek, *Proc. 7th ECOC*, Copenhagen, (1981).
66. "Tensile Strength Characteristics of 'Perfect' Silica Fibers," C. R. Kurkjian, J. T. Krause and U. C. Paek, *J. de Phys. Coll. C 9 Suppl. #1* 243, 585, (1982).
67. "Single-Valued Strength of 'Perfect' Silica Fibers," C. R. Kurkjian, and U. C. Paek, *Appl. Phys. Letts.* **42**, 251 (1983).
68. "Improved High Strength Flame Fusion Single Mode Splices," J. T. Krause and C. R. Kurkjian, *4th Int'l. Conf. on Integ Optics and Optical Fiber Comm. (IOOC)* Tokyo, 96 (1983).
69. "Sub-Sub Tg Enthalpy Relaxation in a B<sub>2</sub>O<sub>3</sub> Glass," H. S. Chen and C. R. Kurkjian, *J. Am. Ceram Soc.* **66**, 613 (1983).
70. "Intrinsic Glass Strength Achieved in Fiber Splices," J. T. Krause and C. R. Kurkjian, *Conf. on Opt. Fiber Commun.*, W 17 (1984).

71. "Summary of Glassy Spectral Data with Particular Reference to the Boron Anomaly," G. E. Peterson, C. R. Kurkjian and A. Carnevale, *J. Am. Ceram. Soc.*, **67**, 319 (1984).
73. "Summary, Conclusions, Reflections," C. R. Kurkjian, in *Strength of Inorganic Glass*, ed. C. R. Kurkjian, Plenum (1985).
74. "Fibre Splices with 'Perfect Fibre' Strengths of 5.5 GPa,  $\nu < 0.01$ ," J. T. Krause and C. R. Kurkjian, *El. Letts.*, **21**, 533 (1985).
75. "From Griffith Flaws to Perfect Fibers, A History of Glass Research," C. R. Kurkjian, *J. Non Cryst. Solids*, **73**, 265 (1985).
76. "Measurement of Cation Diffusion in Silica Lightguides," J. W. Fleming, C. R. Kurkjian and U. C. Paek, *J. Am. Ceram. Soc.*, **68**, 246 (1985).
77. "Strength Properties of Optical Fibers," C. R. Kurkjian and U. C. Paek, *Proc. Int'l Conf Lasers '84*, ed. Corcoran, Sullivan and Stwalley, pg 714, STS Press (1985).
78. "Fiber Drawing and Strength Properties," F. V. DiMarcello, C. R. Kurkjian and J. C. Williams, in **Optical Fiber Communications, Vol. 1. Fiber Fabrication** ed. T. Li Academic Press, NY (1985).
79. "Spectral Analysis and the Structure of Borate Glasses," C. R. Kurkjian, G. E. Peterson, S. R. Lunt, and D. M. Krol, *Collected Papers, XIV Int'l. Congress on Glass*, New Delhi, 68(1986).
80. "High Temperature Light Scattering and the Glass Transition in Vitreous Silica," D.M. Krol, K. B. Lyons, S. A. Brawer, and C. R. Kurkjian, *Phys. Rev. B*, **33**, 4196 (1986).
81. "The Physics and Chemistry of Glass (Glass Science: A Personal View)," C. R. Kurkjian, *J. Non-Cryst. Solids*, **84**, 1 (1986).
82. "Impact of Small Steel Spheres on the Surface of 'Normal' and 'Anomalous' Glasses," M. M. Chaudhri and C. R. Kurkjian, *J. Am. Ceram. Soc.*, **69**, 404 (1986).
83. "Strength Measurement of Optical Fibers by Bending," M. J. Matthewson, C. R. Kurkjian, and S. T. Gulati, *J. Am. Ceram. Soc.* **69**, 815 (1986).
84. "Chemical Treatment and Surface Index of Glass," S. Lunt, G. E. Peterson and C. R. Kurkjian, **Adv Ceram. Matls.** **2**, (2) 132-136 (1987).
85. "The use of Organosilsesquioxane for the Coating/Cladding of Silica Fibers," B. G. Bagley, C. R. Kurkjian and W. E. Quinn, **Matl. Res. Soc. Symp. Proc.** **88**, 3539 (1989).

86. "Advanced Glasses for Communications," C. R. Kurkjian, *Proc. 1st Int'l. Symp. on New Glasses, The Assoc. of New Glass Industries*, Tokyo, Japan, **7**, (1987).
87. "Static Fatigue of Optical Fibers in Bending," M. J. Matthewson and C. R. Kurkjian, *J. Am. Ceram Soc.* **70**, (90) 662-68 (1987).
88. "Mechanical Stability of Oxide Glasses," C. R. Kurkjian, *J. Non-Cryst. Solids* **102**, 71 (1988).
89. "Environmental Effects on the Static Fatigue of Silica Optical Fiber," M. J. Matthewson and C. R. Kurkjian, *J. Amer. Ceram. Soc.* **71**, 177 (1988).
90. "Mechanical Reliability of Hermetic Carbon Coated Fiber," J. T. Krause, C. R. Kurkjian, F. V. DiMarcello, R. G. Huff, *Proc. Sixth European Fibre Optic Comm. Conf.*, The Netherlands (1988).
91. "Impedance of Ceramic Superconducting Strips over the Frequency Range from 20 Hz to 25 MHz," G. E. Peterson, C. R. Kurkjian, R. P. Stawicki and U. C. Paek, **Research Update, 1988 Ceramic Superconductors II** ed. M. F. Yan, Am. Ceram. Soc. (1988).
92. "Determination of the Viscosity of High Silica Glasses during Fiber Drawing," U. C. Paek, C. M. Schroeder and C. R. Kurkjian, *Glass Tech.* (1988).
93. "Strength and Elasticity of Glasses," C. R. Kurkjian, *Glass '89, Proc. XV Int'l. Congress on Glass*, Leningrad 327 (1989).
94. "The Processing and Use of Organosilicon Polymers for Photonic Applications," B. G. Bagley, W. Quinn and C. R. Kurkjian, *Polymer Science and Eng.*, **29**, (17) 1179 (1989).
95. "Strength and Fatigue of Oxide Glasses," C. R. Kurkjian, in **Rev. Sol State Sci.**, **3** (1989), (*Proc. Indo-U.S. Workshop on "Recent Trends in the Science and Technology of Glasses"*)(1989).
96. "Strength and Fatigue of Silica Optical Fibres," C. R. Kurkjian, J. T. Krause, M. J. Matthewson, *J. Lightwave Technol.* **7** (9), 1360-1370 (1989).
97. "Understanding Mechanical Properties of Lightguides: A Commentary," C. R. Kurkjian and D. Inniss, *Optical Eng.* **30** (6) 681-689 (1991).
98. "Understanding Mechanical Properties of Lightguides 11: A Commentary," C. R. Kurkjian and D. Inniss, *SPIE* **1580**, 122 (1991)
99. "Mechanical Strength of Particulate Silica Gels," E. M. Rabinovich, C. R. Kurkjian, N. A. Kopylov, D. A. Fleming, *J. of Materials Science* **26**, 668 (1991).

100. "Strength and Fatigue of Silica," C. R. Kurkjian and D. Inniss, **Phys. Noncrystalline Solids**, ed. L. D. Pye, W. C. LaCourse and H. J. Stevens, Taylor and France, London, (1992).
101. "Effect of Sodium Chloride Solutions on The Strength and Fatigue of Bare Silica Fibers," D. Inniss, D. L. Brownlow and C. R. Kurkjian, *J. Am. Ceram. Soc.* **75** (2) 364 (1992).
102. "Mechanical Strength and Viscoelastic Properties of Fused Silica: The Role of Defects," C. R. Kurkjian, **Proc. MRS**, Japan, May (1992).
103. "High-Strength Carbon-Coated Optical Fibre," M. M. Bubnov, E. M. Dianov, A. M. Prokhorov, S. L. Semjonov, A. G. Shchebunyaev and C. R. Kurkjian, *Sov. Lightwave Commun.* **2**, 245-250 (1992).
104. "The Effect of Temperature on Transmission Properties of Super-High Strength Aluminium-Coated Optical Fibres," V. A. Bogatyryov, S. D. Romyantsev and C. R. Kurkjian, *Sov. Lightwave Commun.* **2**, 339-345 (1992).
105. "Chemical Effects on the Fatigue of Lightguide Fibers," D. Inniss, D. L. Brownlow and C. R. Kurkjian, *SPIE*, **1791** (1992).
106. "The Influence of Solubility on the Reliability of Optical Fiber," M. J. Matthewson, Vincenzo V. Rondinella and C. K. Kurkjian, *SPIE* **1791** (1992).
107. "Current Issues in Mechanical Reliability of Optical Fibers," C. R. Kurkjian, H. C. Chandan and D. Inniss, *Proc. 41st IWCS*, 599 (1992).
108. "Chemical Kinetics Applied to the Fracture of Silica Fibers," D. Inniss, C. R. Kurkjian and D. L. Brownlow, in **Ceramic Transactions** **28**, 569-578, (1992).
109. "Chemical Kinetics Applied to the Fatigue of Silica Fibers in Sodium Hydroxide Solutions," D. Inniss, D. L. Brownlow, C. R. Kurkjian and L. R. Borges, **Mat. Res. Soc. Symp. Proc.** **244**, 91 (1992).
110. "Dual Hermetically Coated Optical Fiber with Strength of 9 GPa.," M. M. Bubnov, E. M. Dianov, A. M. Prokhorov, S. L. Semjonov and C. R. Kurkjian, *Conf. on Optical Fiber Commun.* (1992).
111. "Optical Fiber Corrosion: Coating Contribution to Zero-Stress Aging," H. H. Yuce, J. P. Varachi, Jr., J. P. Kilmer, C. R. Kurkjian and M. J. Matthewson, *Conf. on Optical Fiber Commun.*, (1992).
- ..
112. "Heat Resistant Optical Fibers Hermetically Sealed in Aluminum", V.A. Bogatyrov, E.M.Dianov, C.R. Kurkjian and S.D. Romyantsev, *Sov. Tech. Phys. Lett.*, **8**, 698-99 (1992).

113. "Strength of Dual Hermetically Coated Fibers at High (>400°C) Temperature," M. M. Bubnov, S. L. Semjonov, A. G. Shchebunyaev and C. R. Kurkjian, *Conf. on Optical Fiber Commun.* (1993).
114. "Chemically Corroded Pristine Silica Fibers: Blunt or Sharp Flaws?" D. Inniss, Q. Zhong and C. R. Kurkjian, *J. Am Ceram. Soc.*, **76** 3173 (1993).
115. "Strength, Degradation, and Coating of Silica Lightguides," C. R. Kurkjian, P. G. Simpkins and D. Inniss, *J. Am. Ceram. Soc.*, **76**, (5) 1106-12 (1993).
116. "Effect of Surface Hydration on the Deposition of Silane Monolayers on Silica," J.D. LeGrange, J. L. Markham and C. R. Kurkjian, *Langmuir*, **9**, 1749-1753 (1993).
117. "Indentation Behavior of Soda-lime Silica Glass Fused Silica and Single Crystal Quartz at Liquid Nitrogen Temperature," C. R. Kurkjian, G. K. Kammlott and M M. Chaudhri, *J. Am. Ceram. Soc.*, **78**, 737-744 (1993).
118. "Strength-Flaw Relationship of Corroded Pristine Silica Studied by Atomic Force Microscopy," Q. Zhong, D. Inniss and C. R. Kurkjian, *MRS Proc.*, (1993).
119. "Hermetically Coated Fibers," C. R. Kurkjian, *Proc. SPIE* (1994).
120. "Dependence of Fiber Strength on Time, Temperature and Relative Humidity," C. R. Kurkjian, D. Inniss, M. John Matthewson and P. K. Gupta, *Proc. SPIE*, (1994).
121. "Mechanical Behavior of Low and High Strength Carbon Coated Fibers," S. L. Semjonov, M. M. Bubnov, E. M. Dianov, C. R. Kurkjian and A. Breuls, , *Proc. SPIE*, (1994).
122. "Corrosion of Optical Fibers," D. Inniss, Q. Zhong and C. R. Kurkjian, *Proc. IWCS* (1994).
123. "Stress-assisted Corrosion Mechanism of Pristine and Corroded Silica Glass Fibers", D. Inniss, Q. Zhong, C.R. Kurkjian, *Proc. IWCS*, 736-41 (1994).
124. "Coating Additives for Improved Mechanical Reliability of Optical Fibers", V.V. Rondinella, M.J. Matthewson and C.R. Kurkjian, *J. Am. Ceram. Soc.* **77**, 73-80 (1994).
125. "Determination of Crack Velocity as a Function of Stress Intensity from Static Fatigue Data", P.K. Gupta, D. Inniss, C.R. Kurkjian and D.L Brownlow, *J. Am. Ceram. Soc.*, **77**, 2445-49 (1994).
126. "Aluminum-coated Silica Fibers: Strength and Solderability", P.G. Simpkins and C.R. Kurkjian, *El. Letts.*, **31**, 747-49 (1995).

127. "Hermetic Coatings for Optical Glass Fibers", D.R. Biswas, C.R. Kurkjian and H.H. Yuce, *Proc. IWCS* (1995).
128. "Strength and Surface Characterization of Aluminum-coated Fused Silica Fibers", Y.S. Shiue, M.J. Matthewson, C. R. Kurkjian and D.R. Biswas, *SPIE 2611*, 117-121 (1996).
129. "Mechanical Properties of Color Coded Fibers", B.J. Keon, E.M. Vogel, C.R. Kurkjian, R.A. Frantz and H.H. Yuce, *12th NFOEC '96* (1996).
130. "Diffusion of Water Through Lightguide Coatings", C.R. Kurkjian, J.L. Armstrong, M.J. Matthewson and I. Plitz, *12th NFOEC '96*, 133-139 (1996).
131. "Acid Stripping of Fused Silica Optical Fibers without Strength Degradation", M.J. Matthewson, C.R. Kurkjian and J.R. Hamblin, *J. Lightwave Technology*, **15**, 490-97 (1996).
132. "Room Temperature Strength Degradation of Optical Fibers", C.R. Kurkjian, H.H. Yuce and M.J. Matthewson, *SPIE*, **2611**, 34-37 (1996).
133. "Intrinsic Strength of Lightguide Fibers", C.R. Kurkjian, D. Biswas, H.H. Yuce, *SPIE*, **2611**, 56- 63 (1996).
134. "Strength Degradation of Lightguide Fibres in Room Temperature Water", C.R. Kurkjian and M.J. Matthewson, *El. Letts.* **32**, 761-2 (1996).
135. "Reliability of Optical Fibers in Steam and Petrochemical Environments", D.R. Biswas, C.R. Kurkjian and O.S. Gebizlioglu, *Proc. IWCS*, 456-63 (1996).
136. "Intrinsic Strength of Lightguide Fibers, C.R. Kurkjian", D. Biswas, H.H. Yuce, *SPIE*, **2611**, 56-63 (1996).
137. "Optical Loss and Viscosity in Lightguide Glasses, C.R. Kurkjian", U.C. Paek and K.F. Klein, *2nd Optoelectronics and Communications Conf. Tech. Digest, Seoul, Korea (OECC '97)* (1997).
138. "Coating of Non-wetting Metals on Optical Fiber", H.S. Seo, U.C. Paek, K. Oh, S.K. Oh and C.R. Kurkjian, *2nd Optoelectronics and Communications Conf. Tech Digest, Seoul, Korea (OECC '97)*, 68-69 (1997).
139. "Lightguide Fibers: Problems and Prospects", C.R. Kurkjian, R.A. Frantz and H.H. Yuce, *Optics and Photonics News*, July 1995, 35-39 (1997).
140. "Performance and Reliability Issues for Indoor/Outdoor Fiber Optic Cables", O.S. Gebizlioglu, C.R. Kurkjian and C.J. Wiczorek, *NFOEC '97* 193-201 (1997).
141. "Connector Materials Reliability in Hot, Humid Environments", L.A. Reith, J. Mann,

- O.S. Gebizlioglu, C.R. Kurkjian, T. Bowmer, E. Scerbo and J. Armstrong, *NFOEC '97* (1997).
142. "Proof-test Level Flaws in Lightguide Fibers: What is their Origin?", C.R. Kurkjian, O.S. Gebizlioglu and S.L.Semjonov, *NFOEC '97* (1997).
143. "Kinetics Models for Fatigue of High-Strength Fused Silica Optical Fiber", J.L. Armstrong, M.J. Matthewson, C.R. Kurkjian and C.Y. Chou, *Proc. IWCS*, 902-908 (1997).
144. "Critical Issues in the Mechanical Reliability of Lightguide Fibers", C.R. Kurkjian, *Proc. MRS 531*, 39-44 (1998).
145. "The Mechanical Behavior of Optical Fiber as a Function of Dew Point Temperature", J.L. Armstrong, M.J. Matthewson and C.R. Kurkjian, *Proc. MRS 531*, 59-64 (1998).
146. "Abrasion Damage to Lightguide Fiber Surfaces", C.R. Kurkjian, M.J. Matthewson and M.M. Chaudhri, *Proc. MRS 531*, 181-186 (1998).
147. "Calculation of Residual Stress in F-Doped Depressed Inner Cladding (DIC) Fiber", Y.W. Park, K. Oh, U.C. Paek and C.R. Kurkjian, *Proc. MRS 531*, 193-200(1998).
148. "Study of Coating Mechanism of Non-Binding Metals Over Silica Fibers", H.S. Seo, U.C. Paek, K. Oh and C.R. Kurkjian, *Proc. MRS 531*, 285-290 (1998).
149. "Optical Fiber Strength and its Relationship to Dynamic Mechanical Properties of Fiber Coatings by Direct Measurements on Fibers", O.S. Gebizlioglu and C.R. Kurkjian, *Proc. MRS 531*, 301-308 (1998).
150. "Modeling of Proof Test-Level Flaws Using Cube Corner Indents", S.L Semjonov, G.S. Glaesemann, C.R.Kurkjian and M.M. Bubnov, *Proc. IWCS '98*, 928 (1998).
150. "Mechanical Behavior and B-Values of an Abraded Optical Fibre", T. Volotinen, A. Breuls, N. Evanno, K. Kemeter, C.R. Kurkjian, P.Regio, S.L. Semenjoy, T. Svensson and G.S. Glaesemann, *Proc. IWCS '98*, 881 (1998).
151. "Moisture penetration through optical fiber coatings", J.L. Armstrong, M.J. Matthewson, C.R. Kurkjian, *Proc. IWCS* 732-739 (1998).
151. "Reliability and standards in Photonics", F.P. Kapron and C.R. Kurkjian *Proc. International Congress on Glass* (1998).
152. "Perspectives on the History of Glass Composition", C.R. Kurkjian and W.R. Prindle,

- J.Am.Ceram.Soc.*, **81**, 795-813 (1998).
153. "Melt coating of tin on silica optical fiber", H.S Seo, U.C Paek, K. Oh and C.R Kurkjian, *J. Lightwave Tech.* **16**: (12) 2355-2364 (1998).
  154. Effect of Preparation Conditions on the strength of fusion splices, J.D. Mann, O.S. Gebizlioglu and C.R. Kurkjian, Proc. IWCS '98, 589 (1998).
  155. "Strength Variations in Silica Fibers", C.R. Kurkjian, O.S. Gebizlioglu and I.Camlibel, *SPIE* **3848**, 77 (1999), ed.M.J. Matthewson (1999).
  156. "Strength Degradation of Silica Fibers by Acetone", A.T. Taylor, M.J. Matthewson and C.R. Kurkjian, *SPIE* **3848**, 108 (1999), ed.M.J. Matthewson, (1999).
  157. "Residual stresses in a doubly clad fiber with depressed inner cladding", Y. Park, K. Oh, U.C. Paek and C.R. Kurkjian, *J Lightwave Tech.* **17**: (10) 1823-1834 (1999).
  158. "Applications of Atomic Force Microscopy to the Study of Lightguide Fibers," C.R. Kurkjian, OS. Gebizlioglu and J.D. Mann, *SPIE* **3848**, 144 (1999) ed.M.J. Matthewson (1999).
  159. "Nanoscale roughness of oxide glass surfaces", P.K. Gupta, D. Inniss, C.R Kurkjian and Q. Zhong, *J Non-Cryst. Solids* **262**: 200-206 (2000).
  160. "Mechanical properties of phosphate glasses", C.R. Kurkjian, *J. Non-Cryst. Solids* **263**: (1-4) 207-212 (2000).
  161. "Science and Technology of Silica Lightguides for Telecommunications", C.R. Kurkjian and D.M. Krol, in **Structure and Imperfections in Amorphous and Crystalline Silicon Dioxide**, ed. R.A. B. Devine, J.-P Duraud and E. Dooryhee, 449-474, John Wiley and sons, Ltd, (2000).
  162. "Humidity Dependence of the Fatigue of High-Strength Fused Silica Optical Fibers", J.L Armstrong, M.J. Matthewson and C.R. Kurkjian, *J. Am. Ceram. Soc.*, **83**, 3100-3108 (2000).
  163. "Distribution of Stripping-Induced Flaws", C.R. Kurkjian, *SPIE* **4215**, 150-157 (2000).
  164. "Strength of Carbon-coated Fibers", C.R. Kurkjian, H. Leidecker, *SPIE* **4215**, 134-143 (2000).
  165. "An Overview of Unsolved Problems", C.R. Kurkjian and J.T. Krause, *SPIE* **4215**, 1-15 (2000).
  166. "Mechanical and Structural Properties of Phosphate Glasses", M. Karabulut, E.

- Melnik, R. Stefan, G.K. Marasinghe, C.S. Ray, C.R. Kurkjian and D.E. Day, *J. Non-Cryst. Solids*, **288**, 8-17 (2001).
166. “Strength of Silica Optical Fibers with Cube Corner Indents”, S.L. Semjonov and C.R. Kurkjian, *J. Non-Cryst. Solids*, **283/1-3**, 220-224 (2001).
167. “Diffusion of Moisture Through Optical Fiber Coatings”, J.L. (Armstrong) Mrotek, M.J. Matthewson and C.R. Kurkjian, *J. Lightwave Tech.*, **19**, 988-993 (2001).
168. “Evaluation of fiber coating stripping methods by atomic force microscopy of fiber surfaces, O.S. Gebizlioglu, M.R. Ozgur and C.R. Kurkjian, *Proc. IWCS* (2001).
169. “Elastic Properties of Glasses”, C.R. Kurkjian and J. Kieffer, in **Handbook of Elastic Properties of Solids, Liquids and Gases**, ed Levy, Bass and Stern, vol II: **Elastic Properties of Solids: theory, Elements and Compounds, Novel Materials, Technological Materials, Alloys and Building materials**, Academic Press, 345-363. (2001).
170. “Intrinsic Strength and the Structure of Glass”, C.R. Kurkjian and P.K. Gupta, *Proc. XIX Intl Congress on Glass*, Edinburgh, Scotland 11-18 (2001).
171. “The Fatigue of High-Strength Fused Silica Optical Fibers in Low Humidity”, J.L. Mrotek, M.J. Matthewson and C.R. Kurkjian, *J. Non-Cryst. Solids*, **297**, 91-95 (2002).
172. “Mechanical strength of glasses – studies then and now”, C.R. Kurkjian, *The Glass Researcher*, **11** (2) 1-6 (1) (2002).
173. “Effect of Secondary Coating on the Fatigue and Aging of Fused Silica Fibers”, V.M. Thirtha, M.J. Matthewson, C.R. Kurkjian, K.C. Yoon, J.S. Yoon and C.Y. Moon, 3. *SPIE Proceedings*, **4639**, “**Optical Fiber and Fiber Component Mechanical Reliability and Testing II**”, eds. M.J. Matthewson and C.R. Kurkjian (2002).
174. “Structure and the Intrinsic Strength of Glass”, R.K. Brow, N.P. Lower, A.J. Lang and C.R. Kurkjian, *Glas. Ber. Proceedings of the 7th International Otto Schott Colloquium*, July 7-11, 2002; *Glastech. Ber. Glass Sci. Technol.* **75 C2** 133-138 (2002).
175. “The Intrinsic strength and fatigue of oxide glasses”, C.R. Kurkjian, P.K. Gupta, R.K. Brow and N. Lower, *J. Non-Cryst. Solids* - **316** 114 -124. (2003).
176. “Inert failure strains of sodium aluminosilicate glass fibers”, N.P. Lower, R.K. Brow and C.R. Kurkjian, (Trento meeting), *J. Non-Cryst. Solids*, **344**, 17-21 (2004).
177. “Inert failure strain studies of sodium silicate glass fibers”, N.P. Lower, R.K. Brow and C.R. Kurkjian, (RPI meeting), *J. Non-Cryst. Solids*, **349**, 168-172 (2004).
178. “Effects of heat treatment and HF etching on the strength of silica lightguides”, C.R.

Kurkjian, M.J. Matthewson and J.M Rooney, *SPIE Proceedings*, **4639**, “**Optical Fiber and Fiber Component Mechanical Reliability and Testing II**”, eds. M.J. Matthewson and H.L Limberger (2004).

179. “Intrinsic failure and non-linear elastic behavior of glasses”, P.K. Gupta and C.R. Kurkjian, *J. Non-Cryst. Solids*, **351**, 2324-2328 (2005).
180. “TPB test provides new insight to fiber strength, quality”, R.K. Brow, N.P. Lower, *Bull. Am.Ceram.Soc.*, **84** (10), 50-54 (2005).
181. “Use of early maps to guide us along the road to a stronger glass of the future”, C.R. Kurkjian and W.R. Prindle, ICC 2006.
182. “Mechanical strength and reliability of glass fibers”, Mendez book, 2006.

#### **Edited Books/Proceedings**

1. **Strength of Inorganic Glass**, ed. C. R. Kurkjian, Plenum Press (1985).
2. **Optical Engineering**, special Issue on Fiber Reliability, eds., C.R. Kurkjian and H.H. Yuce, **Proc. SPIE**, Bellingham, WA (1999).
3. **MRS Symposium Proc.531 “Reliability of Photonics Materials and Structures”**, eds. E. Suhir, M.Fukuda and C.R.Kurkjian, MRS, Warrendale, PA.(1998).
4. **Reliability of Optical Fibres and Components, final Report of COST 246**, eds. M. Gadonna, W. Griffioen, B. Heens, H. Nauutila, C.R. Kurkjian, H. Limberger, S Mirza, A. Opacic, P. Regio, S. Semjonov and T. Volotinen, Springer-Verlag, London (1998).
5. **SPIE Proceedings vol. 4639, “Optical Fiber and Fiber Component Mechanical Reliability and Testing II**”, eds. M.J. Matthewson and C.R. Kurkjian, **Proc. SPIE**, Bellingham, WA(2002).